


## **SCORPION** // FITTING INSTRUCTIONS



Car	BMW X3 M including Competition	Part No.	SBM090CF
Year	2019-2021 Pre-LCI	Fit Kits	399FK
Notes	Where not supplied use original fittings. Original system requires cutting.	Features	Pipe Diameter:- 70mm

Estimated Fitting Time: 2 Hours



NO.	PART NO.	DESCRIPTION	QTY	DATE	05/12/2022
1	843BM	L/H Link Pipe	1	ISSUE	01
2	844BM	R/H Link Pipe	1	AUTHORISED	S Shipley
3	845BM	Rear Silencer	1		
4	846BM	L/H Trim Pipe	1		
5	847BM	R/H Trim Pipe	1		
6	848BM	Inner Trim Pipe	2		
7	Z023.10162	Ø114mm Carbon Fibre Ascari Trim	4		
Fit Ki	it				
8	Z016.10063	72mm H/D Clamp	4		
9	Z016.10070	66mm H/D Clamp	4		
10	Z016.10064	63-68mm Clmap	4		
11	Z017.12783	Valve Fixing Bow	2		

NOTE: ENSURE SCORPION SYSTEM IS CLEAR OF MOVING PARTS AND ALL ORIGINAL FUNCTIONS WORK CORRECTLY.



STAY CONNECTED TO RED POWER.

You Tube

J



## **SCORPION** // FITTING INSTRUCTIONS



Car	BMW X3 M including Competition	Part No.	SBM090CF
Year	2019-2021 Pre-LCI	Fit Kits	399FK
Notes	Where not supplied use original fittings. Original system requires cutting.	Features	Pipe Diameter:- 70mm

Estimated Fitting Time: 2 Hours

f



We recomend removing the original exhaust from the car before cutting.

Locate the sets of indents on both sides of the original system.

Cut the system through the middle pair of indents. Once cut de-bur the edges and re-fit the front to the car





STAY CONNECTED TO RED POWER.





HAND BUILT
IN ENGLAND

Car	BMW X3 M including Competition	Part No.	SBM090CF	
Year	2019-2021 Pre-LCI	Fit Kits	399FK	
Notes	Where not supplied use original fittings. Original system requires cutting.	Features	Pipe Diameter:- 70mm	
Estimated Fitting Time: 2 Hours				





A) Remove the electronic actuator from the original exhaust.

B) On the scorpion product fit the fixing bow (item 13) into the valve and use the actuator to secure the bow in place.

C) Use the original bolts to fasten the actuator to the valve ensuring the two straights on the fixing bow fit between the grooves on both of the posts.



